



ANNUAL REPORT EXCERPT

Ten Most Common Types of Invasive Cancer, Counts by Race and Ethnicity, 2014-2018

New Jersey Females

Breast cancer was the most common cancer diagnosed among females. Colon and rectum cancer was the third most common.

Lung and bronchus cancer was the second most common cancer among Black and White females, while thyroid cancer was the second most common cancer among Asian/Pacific Islander and Hispanic females.

Cervical cancer, a preventable cancer, was among the ten most common cancers for Black and Hispanic females.

Rank	Asian/ Pacific Islander	Black	White	Hispanic*
1	Breast (2,512)	Breast (4,893)	Breast (30,859)	Breast (4,141)
2	Thyroid (571)	Lung and Bronchus (1,705)	Lung and Bronchus (13,477)	Thyroid (1,126)
3	Colon and Rectum (498)	Colon and Rectum (1,445)	Colon and Rectum (8,415)	Colon and Rectum (1,121)
4	Corpus and Uterus, NOS (483)	Corpus and Uterus, NOS (1,239)	Corpus and Uterus, NOS (7,874)	Corpus and Uterus, NOS (1,029)
5	Lung and Bronchus (448)	Thyroid (600)	Thyroid (5,325)	Lung and Bronchus (925)
6	Ovary (261)	Pancreas (554)	Melanoma of the Skin (4,600)	Non-Hodgkin Lymphoma (623)
7	Non-Hodgkin Lymphoma (221)	Non-Hodgkin Lymphoma (488)	Non-Hodgkin Lymphoma (4,542)	Cervix Uteri (441)
8	Stomach (172)	Myeloma (484)	Pancreas (3,295)	Pancreas (412)
9	Leukemia (154)	Kidney and Renal Pelvis (419)	Leukemia (2,861)	Leukemia (406)
10	Pancreas (151)	Cervix Uteri (386)	Urinary Bladder** (2,819)	Kidney and Renal Pelvis (399)

Source: New Jersey State Cancer Registry November 2020 submission file, New Jersey Department of Health. This table is color-coded by cancer type. Counts are inside parentheses.

The New Jersey State Cancer Registry (NJSCR) Data Guidelines containing comprehensive data analysis methods, race and ethnicity classification, population and mortality data sources, and additional information related to NJSCR data can be found at https://www.nj.gov/health/ces/reports.shtml.

^{*}Persons of Hispanic ethnicity may be of any race or combination of races. The categories of race and ethnicity are not mutually exclusive.

^{**}Includes in situ.

ANNUAL REPORT EXCERPT

Ten Most Common Types of Invasive Cancer, Counts by Race and Ethnicity, 2014-2018

New Jersey Males

Prostate cancer was the most common cancer diagnosed among New Jersey males.

Colon and rectum cancer was the second most common cancer for Asian/ Pacific Islander and Hispanic males, and the third most common for Black and White males.

Lung and bronchus cancer was the second most common cancer among Black and White males and the third most common cancer among Asian/Pacific Islander and Hispanic males.

Rank	Asian/ Pacific Islander	Black	White	Hispanic*
1	Prostate (1,236)	Prostate (5,707)	Prostate (25,856)	Prostate (3,547)
2	Colon and Rectum (592)	Lung and Bronchus (1,589)	Lung and Bronchus (11,982)	Colon and Rectum (1,267)
3	Lung and Bronchus (550)	Colon and Rectum (1,367)	Colon and Rectum (8,921)	Lung and Bronchus (955)
4	Non-Hodgkin Lymphoma (281)	Kidney and Renal Pelvis (692)	Urinary Bladder** (8,147)	Non-Hodgkin Lymphoma (734)
5	Oral Cavity and Pharynx (269)	Urinary Bladder** (509)	Melanoma of the Skin (6,472)	Kidney and Renal Pelvis (623)
6	Urinary Bladder** (239)	Non-Hodgkin Lymphoma (478)	Non-Hodgkin Lymphoma (5,342)	Urinary Bladder** (610)
7	Liver (221)	Liver (463)	Kidney and Renal Pelvis (4,658)	Leukemia (513)
8	Kidney and Renal Pelvis (218)	Pancreas (444)	Leukemia (3,874)	Liver (426)
9	Stomach (209)	Myeloma (427)	Oral Cavity and Pharynx (3,604)	Stomach (409)
10	Leukemia (205)	Oral Cavity and Pharynx (412)	Pancreas (3,323)	Oral Cavity and Pharynx (388)

Source: New Jersey State Cancer Registry November 2020 submission file, New Jersey Department of Health. This table is color-coded by cancer type. Counts are inside parentheses.

^{*}Persons of Hispanic ethnicity may be of any race or combination of races. The categories of race and ethnicity are not mutually exclusive.

^{**}Includes in situ.